

Work Order ID 66828

Monday, February 28, 2011 11:39:39 AM



Page 1

Item ID: D3137-043

Accept



Setup Start



Revision ID:

Item Name: Bracket Assembly

Stop



Start Date: 2/28/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 3/4/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3137

Rev F

100

0.00



BAND SAW

Bandsaw

Memo

0.00

Jeaspa Bandsaw

Cut blanks: (.500" x 2.000") 5.570" long

enr 11/03/10

4

0

110

0.00



HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.00

HAAS CNC vertical machine #1

1-Machine D3137-7 as per Folio FA3308 and Dwg D3137 Identify as D3137-7
2-Debur 3-Scribe batch number

enr 11/03/10

4

0

120

0.00



QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

enr 11/03/10

4

0

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 66828

Monday, February 28, 2011 11:39:39 AM

Page 2

Item ID: D3137-043

Accept

Setup Start

Revision ID:

Stop

Item Name: Bracket Assembly

Start Date: 2/28/2011 Start Qty: 4.00

Cust Item ID:

Required Date: 3/4/2011 Req'd Qty: 4.00

Customer:




Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130  QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.00		HA 11/03/16		4	6		
140  Small Fab Small Fab	Small Fab Memo Assemble D3137-043 as per Dwg D3137	0.00 0.00		So 11/04/07		4			
150  QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.00		So 11/04/07		44			

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 66828

Monday, February 28, 2011 11:39:39 AM



Page 3

Item ID: D3137-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Bracket Assembly

Start Date: 2/28/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 3/4/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursTool ID Tool # Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

Identify as per dwg & Stock Location: **235B**

0.00



Packaging

Memo

0.00

Packaging

11/4/7 **SD** **(40)**

170

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/4/7 **SD**11-04-7
(H)

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Monday, February 28, 2011 11:39:46 AM

Page 1

Work Order ID: 66828

Parent Item: D3137-043

Parent Item Name: Bracket Assembly




Start Date: 2/28/2011

Required Date: 3/4/2011

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:A ☐ 04.02.18 ☐ New issue ☐ KJ/DS
IPP Rev B 08.07.03 ECN1207 EC verified by DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MS24694-S101  Screw		Purchased	No			100	Each	39.0000	1	4			
<div> <div>Location</div> <div>ST290A</div> <div>110363</div> </div> <div> <div>Loc Qty</div> <div>39</div> <div>39</div> </div> <div> <div>Loc Code</div> <div></div> <div></div> </div>													
D3137-3  Guide		Manufactured	No			140	Each	9.0000	1	4			
<div> <div>Location</div> <div>ST235B</div> <div>63873</div> <div>65642</div> <div>B67064</div> </div> <div> <div>Loc Qty</div> <div>9</div> <div>2</div> <div>7</div> <div>(4)</div> </div> <div> <div>Loc Code</div> <div></div> <div></div> <div></div> <div></div> </div>													
D3137-5  Washer		Manufactured	No			140	Each	5.0000	1	4			
<div> <div>Location</div> <div>ST235B</div> <div>65365</div> <div>66102</div> <div>B 67015</div> </div> <div> <div>Loc Qty</div> <div>5</div> <div>4</div> <div>1</div> <div></div> </div> <div> <div>Loc Code</div> <div></div> <div></div> <div></div> <div></div> </div>													

SB 11/04/07

4

SB 4/04/07

SB 11/04/07

3

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Page 2

Monday, February 28, 2011 11:39:46 AM

Work Order ID: 66828



Parent Item: D3137-043



Parent Item Name: Bracket Assembly

Start Date: 2/28/2011

Required Date: 3/4/2011

Start Qty: 4.00

Required Qty: 4.00

M174B0.500X02.000

Purchased

No

140

f

56.4027

0.4643

1.954947



17-4 SS Bar .500 x 2.00

Location

Loc Qty

Loc Code

MAT030

56.4027

100843

10.2

103089

18.5

→ 14932

26

19572

1.7027

1.955 *mf* 11/03/10

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO. 66824


11-02-24



D3137-041 BRACKET ASSEMBLY





D3137-043 BRACKET ASSEMBLY



D3137-045 BRACKET ASSEMBLY

RELEASE
 08-06-24

F	REDRAWN & REFORMATTED IN SOLIDWORKS. SHEET 3 ZONE A.5 DIM 2.36 WAS 2.48, ZONE A.4 0.480 DIM WAS 0.605, ZONE A.8 0.67 DIM WAS 0.79, ZONE B.5 4.850 DIM WAS 4.975 & ZONE B.8 5.29 DIM WAS 5.41. REASON: PART TRIMMED DUE TO INTERFERENCE WITH EXECUTIVE INTERIOR.		AJS	08.05.30
E	ADD -045		RF	05.11.23
D	RE-DESIGN D3137-5; CHANGE DIMS		DS	04.11.03
C	ADD -043		DS	03.08.15
B	ADD RIDGES; ADD MATERIAL PROP		DS	03.01.16
A	NEW ISSUE		DS	02.04.17
REV.	DESCRIPTION		BY	DATE
DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	AJS			
CHECKED		DRAWING NO.	REV. F	
MFG. APPR.		D3137	SHEET 1 OF 5	
APPROVED		TITLE	SCALE	
DE APPR.		BRACKET ASSEMBLY	NTS	
DATE	08.05.30	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD		

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


QTY. -041	QTY. -043	QTY. -045	PART NUMBER	DESCRIPTION
X			D3137-041	BRACKET ASSEMBLY
	X		D3137-043	BRACKET ASSEMBLY
		X	D3137-045	BRACKET ASSEMBLY
1			D3137-1	BRACKET
1	1	1	D3137-3	GUIDE
1	1	1	D3137-5	WASHER
	1		D3137-7	BRACKET
		1	D3137-9	BRACKET
1	1	1	MS24694-S101	SCREW



D3137-041 BRACKET ASSEMBLY



D3137-043 BRACKET ASSEMBLY



D3137-045 BRACKET ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.18 lbs -041
: 0.32 lbs -043
: 0.27 lbs -045

wlo 44825

RELEASED
08-06-26/10

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO. D3137	REV. F
MFG. APPR.		TITLE BRACKET ASSEMBLY	SCALE NTS
APPROVED		<small>COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	
DE APPR.			
DATE	08.05.30		


W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries



D3137-1 BRACKET



D3137-7 BRACKET



NOTES:

- 1) MATERIAL: -1 & -7
17-4PH STAINLESS STEEL
PER AMS 5604 OR 5643
MIN ULTIMATE TENSILE = 150 ksi
MIN YIELD TENSILE = 100 ksi
PER DART SPEC. M17-4-B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: ENGRAVE DART LOGO USING 0.20 HIGH LETTERS & P/N WITH USING .15 HIGH LETTERS TO A MAX. DEPTH OF 0.010.
- 7) SCRIBE WITH DART B/N USING VIBRATING STYLUS
- 8) WEIGHT: SEE ASSEMBLED WEIGHT ON SHEET 2
- 9) -1 REPLACES PREMIER P/N B30-23000-105/-105

RELEASED
08-06-26

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries




D3137-9 BRACKET




**DETAIL A
(SLOT DETAIL)**



**DETAIL B
(SLOT DETAIL)**



**SECTION C-C
(SLOT DETAIL)**



**DETAIL D
SCALE 2X
(TYPICAL RIDGE DETAIL)**

NOTES:

- 1) MATERIAL: 17-4PH STAINLESS STEEL
PER AMS 5604 OR 5643
MIN ULTIMATE TENSILE = 150 ksi
MIN YIELD TENSILE = 100 ksi
PER DART SPEC. M17-4-B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: ENGRAVE DART LOGO USING 0.20 HIGH LETTERS & P/N WITH USING .15 HIGH LETTERS TO A MAX. DEPTH OF 0.010.
- 7) SCRIBE WITH DART B/N USING VIBRATING STYLUS
- 8) WEIGHT: SEE ASSEMBLED WEIGHT ON SHEET 2
- 9) REPLACES PREMIER P/N B30-23000-105/-106

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
08-06-26-110

u10-66825

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



8 7 6 5 4 3 2 1



D3137-3 GUIDE



D3137-5 WASHER



w/o 66826

RELEASED

NOTES:

- 1) MATERIAL: -3
DELTRIN II 150E OR ACETRON GP ACETAL, BAR
(REF DART SPEC M-DELTRIN-B)
-5
6061-T6 (OR 6061-T651/ T6510/ T6511/ T62) ALUMINUM BAR
PER-AMS-QQ-A-225/8 (OR AMS 4117/ 4128/ 4145/ 4116)
OR PER-QQ-A-200/8 (OR AMS 4160)
REF. DART SPEC M6061T6R
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 (-5 ONLY)
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: SEE ASSEMBLED WEIGHT ON SHEET 2
- 8) -3 REPLACES PREMIER P/N B30-2300-207
-5 REPLACES PREMIER P/N B30-2300-209

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. F
MFG. APPR.	<i>[Signature]</i>	D3137	SHEET 5 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET ASSEMBLY	NTS
DATE	08.05.30	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 66828
Description: Bracket		Part Number: D3137-7
Inspection Dwg: D3137	Rev: F	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.560	+0.006/-0.001	.560	—		Vern M1-7	
5.29	+/-0.030	5.289	—		"	
2.79	+/-0.030	2.760	—		"	
0.67	+/-0.030	.700	—		"	
1.90	+/-0.030	1.892	—		"	
0.262	+/-0.010	.265	—		"	
0.062	+/-0.010	.068	—		"	
4.850	+/-0.010	4.857	—		"	
0.162	+/-0.010	.166	—		"	
Ø0.500	+0.006/-0.001	Ø.503	—		"	
2.360	+/-0.010	2.360	—		"	
1.880	+/-0.010	1.880	—		"	
0.480	+/-0.010	.480	—		"	

Measured by: <i>mf</i>	Audited by: <i>JA</i>	Preliminary Approval:	N/A
Date: 11/03/16	Date: 11/03/16	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	03.11.12	New Issue P/O D3137-043	KJ/RF	
B	04.06.15	Changed & added dimensions	KJ/JLM	
C	06.03.15	Dwg Rev updated	KJ/JLM	
D	08.12.02	Dwg Rev updated	KJ/DD	
E	10.08.03	Dimension 5.29 was 0.529	KJ	<i>JA</i>